

# QUANTOFIX® Active oxygen

## Description:

QUANTOFIX® Active oxygen are test strips for the semi-quantitative determination of the potassium monopersulfate triple salt ( $2 \times \text{KHSO}_5 \cdot \text{KHSO}_4 \cdot \text{K}_2\text{SO}_4$ ) (MPS) in aqueous solutions. Potassium monopersulfate is a stable, easy to use and water-soluble powder. It is used in swimming pools and spas as a chlorine-free, environment-friendly disinfectant as well as oxidant, detergent and bleaching agent for a wide range of industrial and consumer applications.

## Pack content:

1 aluminum container with 100 test strips

## Measuring range:

4 – 25 mg/L Active oxygen (MPS)

## Color gradation:

0 · 4 · 8 · 15 · 25 mg/L Active oxygen (MPS)

## Hazard warnings:

This test does not contain hazardous substances that must be labelled.

## General indications:

Remove only as many test strips as are required. Close the container immediately after removing a strip. Do not touch the test field.

## Instructions for use:

1. Immerse and agitate the test strip in the test solution for 10 seconds.
2. Shake off excess liquid.
3. Wait 10 seconds.
4. Compare the test field immediately with the color scale. Take the value which matches closest with the colored test field (reading accuracy:  $\pm \frac{1}{2}$  colored field of the scale).

The reaction color of the test field may change after the value has been taken. It is therefore crucial to evaluate the coloration within the prescribed time scale in order to achieve a correct result. Ignore color changes that occur after the reaction time (10 seconds).

## Interferences:

The presence of strong oxidants interferes with the determination. The following oxidants lead to false positive results when the concentrations below are exceeded:

1000 mg/L: hydrogen peroxide ( $\text{H}_2\text{O}_2$ )

1.0 mg/L: bromine ( $\text{Br}_2$ )

0.5 mg/L: hypochlorite ( $\text{OCl}^-$ ); peracetic acid ( $\text{CH}_3\text{COOOH}$ )

0.3 mg/L: chlorine ( $\text{Cl}_2$ )

If the sample solution has a pH value of 3–9, the reaction will take place without interferences.

## Disposal:

Information regarding disposal can be found in the safety data sheet. You can download the SDS from [www.mn-net.com/SDS](http://www.mn-net.com/SDS).

## Note:

The test strip container stopper contains a non-toxic drying agent. If swallowed, drink plenty of water.

## Storage:

Avoid exposing the strips to sunlight and moisture. Keep container cool and dry (storage temperature 4–30 °C).

If correctly stored, the test strips may be used until the use-by-date printed on the packaging.

